

Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com

Date received: 05/06/18

Date of issue: 09/07/18

Report consists of 3 test reports.

Defects before testing: None

Sample name: Sgabello BABILA

PEDRALI S.P.A.

STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG)

**ITALIA** 

## **SAMPLE N° 252572**

Overall dimensions: 500 x 470 x 930 (h) mm

### List performed tests:

- 1. Seat and back static load test EN 1728:2012+AC:2013
- 2. Seat and back fatigue test EN 1728:2012+AC:2013
- 3. Foot rest durability test EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com

# **SAMPLE N° 252572**

Date of issue: 09/07/18

Sample weight: Not determined Sample name: Sgabello BABILA



Side view



Bottom view



Rear view



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

### **TEST REPORT**

# 252572 / 1

Date received: 05/06/18 Date of test: 15/06/18

Date of issue: 09/07/18

Sample name: Sgabello BABILA

PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

### Seat and back static load test EN 1728:2012+AC:2013

Seat and back static load test, clause 6.4

### Test results:

Seat load N	Back force N	Number of cycles	Remarks
2.000	550	10	No defects

#### Note:

According to EN 1728:2012, back force has been reduced from 700 N to 550 N to avoid tipping.

Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.600	10	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L2 - extreme.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr Andrea Giavon

The sample name and, when rejevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

### **TEST REPORT**

## 252572 / 2

Date received: 05/06/18
Date of test: 15/06/18

Sample name:

Date of issue:

PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

# Seat and back fatigue test EN 1728:2012+AC:2013

Seat and back fatigue test, clause 6.17

09/07/18

Sgabello BABILA

### Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	200.000	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L2 - extreme.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

### **TEST REPORT**

## 252572 / 3

Date received: 05/06/18
Date of test: 02/07/18

Date of issue: C
Sample name: S

09/07/18 Sgabello BABILA

STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

PEDRALI S.P.A.

# Foot rest durability test EN 1728:2012+AC:2013

Foot rest durability test clause 6.21

#### Test results:

Force on footrest N	Number of cycles	Remarks
1.000	100.000	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L2 - extreme.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1