



Speers W 2L

By
David Abad

Decorative
Lighting

Wall lamps

Descripción técnica			Packaging
Grado de Estanqueidad	IP20	Regulación	Peso Neto Unidad
		ON-OFF + TOUCH DIM	2 Kg
Clase	⏚	Tipo de luz	Medidas Caja
		LED	38 x 22 x 18,5 cm - 15 m3
Regulable	DIM	Fuente de luz incluida	Peso Bruto
		Si	--
Certificaciones	CE EAC cULus LISTED	Clasificación energética	
		G, E	

Descripción

Aplique de doble encendido (2L), con luz ambiental indirecta (touch-dim) y luz directa orientable (touch on-off). Disponible también con una única fuente de luz directa (1L). La fuente de luz es un LED de alta luminancia, que incluye una lente de vidrio que concentra la luz y aporta un mayor rendimiento lumínico. Está disponible en dos acabados: acabado exterior blanco mate texturado con interior en latón satinado, y exterior negro mate texturado con interior en cobre satinado.

Acabados

SHADE



Black (matte) / Copper (satin)



White (matte) / Brass (satin)

Colección



Speers Arm C



Speers Arm W



Speers F



Speers Outdoor



Speers Outdoor Bollard



Speers Outdoor W



Speers S



Speers S M/L



Speers W

Codes

Luminaria

Fuente de Luz

729102

SPEERS W (2L) BLACK-COPPER

LED 9W 1100lm 500mA 2700K CRI>=90 230V + LED 9,6W 24V 1202lm 3000K CRI>=90 230V TOUCH DIM

729106

SPEERS W (2L) WHITE-BRASS

LED 9W 1100lm 500mA 2700K CRI>=90 230V + LED 9,6W 24V 1202lm 3000K CRI>=90 230V TOUCH DIM

DESCARGAS

↓ [Speers_W_Assembly.pdf](#)

↓ [Speers_W_3D.zip](#)

↓ [Speers_W_2D.pdf](#)

↓ [Speers_W_Photometry.zip](#)

